

Report No.:18290KC30075601

Test Report

Client Name : Zhongshan Litian Lighting co.,Ltd

Client Address : Block B 4/F , No.2 Yihui NO.2 Road Maohui
Industry , Sisha, Henglan Town ,Zhongshan
City ,Guangdong Provice

Product Name : LED landscape light

Report Date : 2023.6.20

Shenzhen Anbotek Compliance Laboratory Limited



Report No.:18290KC30075601

Marking

1. The test report is invalid without the official stamp of Shenzhen Anbotek Compliance Laboratory Limited.
2. Nobody is allowed to photocopy or partly photocopy this test report without written permission of Shenzhen Anbotek Compliance Laboratory Limited.
3. The test report is invalid without the signature of the approver.
4. The test report is invalid if altered.
5. Objections to the test report must be submitted to Shenzhen Anbotek Compliance Laboratory Limited within 15 days.
6. The test report is valid for the tested samples only.
7. As for test verdict, “—” means “no need for judgment” “N/A” means “not applicable”.



Report No.:18290KC30075601

TEST REPORT

Client Name : Zhongshan Litian Lighting co.,Ltd
Address : Block B 4/F , No.2 Yihui NO.2 Road Maohui Industry , Sisha, Henglan Town ,Zhongshan City ,Guangdong Provice
Report on the submitted sample(s) said to be:
Product Name : LED landscape light
Model : 6012-15W(Main test),6012-10W, 6012-12W
Trademark : 
Description : /
Sample(s) received quantity : 1pc
Sample(s) Testing quantity : 1pc
Manufacturer : Zhongshan Litian Lighting co.,Ltd
Factory : Zhongshan Litian Lighting co.,Ltd
Other information : /
Sample(s) received Date : 2023.5.23
Testing period : 2023.5.31
Report Date : 2023.6.20

Prepared by:**Checked by:****Approved by:**

Name: Brant Min



Name: Carlos Ye



Name: Jeff Zhu



Report No.:18290KC30075601

Test Conclusion :

Item No.	Test Item	Test Standard	Evaluation
1	IK08	IEC 62262:2021	Pass




Report No.:18290KC30075601

1. IK08				
Test Standard	IEC 62262:2021			
Test Condition	--- the sample is Installed on the rigid support surface, Begin the impact test from a height of 300 mm using the pendulum 1.7 kg, The energy of impact test specimens for 5J; --- The impact of 5 points evenly distributed in the front metal surface of the sample; --- There shall be no more than three collisions applied near the same position of the enclosure; ---Test times of each part: 1 time. --- Check the sample after the test.			
Test Equipment	Equipment Name	Equipment No.	Equipment model	Equipment Cal validity period
	IK impact tester	SE-1459	GRPH-2	2024.2.19
Test requirements	The sample is allowed to be slightly cracked, dented and not to be seriously damaged.			
Test Result	Sample No.	Test Result		Evaluation
	18290KC300756 -1-1-1	After the test, the sample has no crack or dent.		Pass
Photos				
	Before test		Test set-up	



Report No.:18290KC30075601



End of Report

